



# **TUFF**<sup>TM</sup> **GRADE**

**2017 PRODUCT CATALOGUE**

**SAFETY SUPPLIES**

**HAND TOOLS**

**SHOP SUPPLIES**

**MATERIAL HANDLING**

**CUTTING TOOLS**

# Why Tuff Grade?

**Tuff Grade is an extensive line of quality private label products exclusive to the most knowledgeable distributors of Industrial, Safety and Fluid Power products to the Canadian MRO market.**

**These best-in-class distributors are the people you rely on every day to help you with your product selection and purchasing decisions. They have applied their knowledge of your needs when creating the strict product specifications that are a hallmark of the Tuff Grade label.**

**From the raw material inputs, to the selection of the manufacturing facility, these experts have monitored the entire process to ensure Tuff Grade products represent a line they are proud to call their own.**

**Available through our exclusive network of more than 300 independently owned-and-operated branches covering every province and territory, you can be confident that Tuff Grade products are stocked close to you.**

**Dissatisfied with the current products you are purchasing?**

**Looking for a means to fulfill a cost-savings mandate?**

**Why not contact your local Tuff Grade distributor to learn more about how Tuff Grade products can help you meet your goals!**



**For more information on Tuff Grade products or to find a local distributor near you contact  
IDI Independent Distributors Inc.  
[info@idiind.com](mailto:info@idiind.com) | [www.idiind.com](http://www.idiind.com) | 905-858-0988**

## Safety Supplies



4 - 15

## Hand Tools



16 - 28

## Shop Supplies



29 - 43

## Material Handling



44 - 46

## Cutting Tools



47 - 53

**WARRANTY** - All Tuff Grade branded products are guaranteed against defects in workmanship and materials. All hand tools and air tools have a lifetime replacement warranty on defective products when the tool is used for the purpose for which it was designed. Any Tuff Grade product that fails within the specified warranty period will be repaired or replaced, at the distributors discretion, at no charge to the end-user. All warranties are void if there is evidence of misuse, abuse or alteration of the product in any way. Incidental or consequential damages are excluded from this warranty.

**WARRANTY PROCEDURE** - Tuff Grade products being submitted for a warranty claim should be returned to place of purchase with proof of purchase and an explanation of the defect.



## SAFETY GLASSES

- Clear Anti-Fog Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG001	Clear	Clear	Yes

- Clear Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG002	Clear	Clear	No

- Grey Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG003	Black	Grey	No

- Indoor / Outdoor Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating.



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG004	Clear	Indoor / Outdoor	No



## SAFETY VESTS

- 5-Point Tear Away
- 100% polyester mesh
- CSA Z96-09 Class 2, Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05

Item Number	Colour	Size	Back	Reflective Tape
TGVEST-001	Orange	One Size	"X"	2" 3M Scotchlite®
TGVEST-002	Lime	One Size	"X"	2" 3M Scotchlite®
TGVEST-005	Orange	One Size	"X"	2" Generic



- 5-Point Tear Away
- 100% solid polyester
- CSA Z96-09 Class 2, Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05

Item Number	Colour	Size	Back	Reflective Tape
TGVEST-003-01	Orange	S / M	"X"	2" 3M Scotchlite®
TGVEST-003-03	Orange	L / XL	"X"	2" 3M Scotchlite®
TGVEST-003-05	Orange	2XL / 3XL	"X"	2" 3M Scotchlite®
TGVEST-004-01	Lime	S / M	"X"	2" 3M Scotchlite®
TGVEST-004-03	Lime	L / XL	"X"	2" 3M Scotchlite®
TGVEST-004-05	Lime	2XL / 3XL	"X"	2" 3M Scotchlite®



## TRAFFIC HARNESS

- 2" reflective tape
- 100% solid nylon
- Meets CSA standards

Item Number	Colour	Size	Back	Reflective Tape
TGVEST-008-01	Orange	Medium	"X"	2" Generic
TGVEST-008-02	Orange	Large	"X"	2" Generic
TGVEST-008-03	Orange	X-Large	"X"	2" Generic
TGVEST-008-04	Orange	2X-Large	"X"	2" Generic





## TRAFFIC CONES

- Body is made of durable PVC, with wide body design and black rubber base, for use in various weather conditions
- High visibility safety orange
- Temperature Range: -20°C to +50°C

Item Number	Height	Base	Collar(s)	Weight
TGTC-1801	18"	10-5/8" x 10-5/8"	-	3 lbs.
TGTC-1802	18"	10-5/8" x 10-5/8"	(1) 4"	3 lbs.
TGTC-1803	18"	10-5/8" x 10-5/8"	(1) 6"	3 lbs.
TGTC-2801	28"	14" x 14"	-	7 lbs.
TGTC-2802	28"	14" x 14"	(1) 4"	7 lbs.
TGTC-2803	28"	14" x 14"	(1) 4" & (1) 6"	7 lbs.



## BARRICADE BAR

- Telescopic barricade bar
- Bar expands length for varied uses / spaces
- Works in combination with standard traffic cones
- High visibility contrasting colours

Item Number	Colour	Size Range
TGTC-CB01	Yellow and Black	45" to 100"
TGTC-CB03	Red and White	45" to 75"

## DELINEATOR POSTS

- High visibility safety orange
- Posts are manufactured using impact-resistant, low-density polyethylene
- 12 lbs recycled black rubber base offers greater stability
- 16.5" wide x 1.5" high octagon base
- Includes 2 x 4" - Type 1200 reflective collars for added visibility
- Built in attachment for barricade light (sold separately)

Item Number	Height	Base	Collar(s)	Weight
TGTD-4513	45"	16.5" W x 1.5" H	(2) 4"	13 lbs.





## DISPOSABLE COVERALLS

- Microporous coverall with hood
- Is liquid resistant and offers dry particulate protection
- Lightweight and breathable for user comfort and protection
- Elastic wrists, waist and ankles for secure fit and hold
- Zipper front for easy on / off

Item Number	Size	Colour	Weight
TGDC50-L	Large	White	50 GSM
TGDC50-XL	X-Large	White	50 GSM
TGDC50-2XL	2X-Large	White	50 GSM
TGDC50-3XL	3X-Large	White	50 GSM
TGDC60-L	Large	White	60 GSM
TGDC60-XL	X-Large	White	60 GSM
TGDC60-2XL	2X-Large	White	60 GSM
TGDC60-3XL	3X-Large	White	60 GSM



## BARRICADE TAPE

- Bright colours offer visibility to deter access to hazardous areas and help eliminate accidents
- Polyethylene film is strong and durable
- Size: 3" x 1,000'
- Thickness: 0.04mm / 1.57 mil

Item Number	Description	Colour	Thickness
TGCT-3X1000CAUTION-B	CAUTION	Yellow	0.04mm
TGCT-3X1000DANGER-B	DANGER	Red	0.04mm
TGCT-3X1000DNE-B	DANGER DO NOT ENTER	Red	0.04mm
TGCT-3X1000DNGRYLW-B	DANGER	Yellow	0.04mm
TGCT-3x1000CMW	CAUTION MEN WORKING	Yellow	0.04mm



## FLAGGING TAPE

- For indoor or outdoor use
- Mapping, Surveying, Forestry and Tagging
- Non-Adhesive surface leaves behind no residue and easy to tie and tear

Item Number	Colour	Width	Length
TGFT-1X200ORANGE	Orange, Fluorescent	1"	200'
TGFT-1X200RED	Red, Fluorescent	1"	200'





## RAINWEAR

- PVC with polyester back construction withstands tears and punctures
- Ultrasonically welded seams for durability and waterproofing
- Includes jacket, hood & bib-style pants
- Thickness .30 mm
- Cape back and underarm vents for increased air circulation

Item Number	Size	Colour	Thickness
TGRW-1010	Medium	Yellow	.30 mm
TGRW-1020	Large	Yellow	.30 mm
TGRW-1030	X-Large	Yellow	.30 mm
TGRW-1040	2X-Large	Yellow	.30 mm
TGRW-1050	3X-Large	Yellow	.30 mm



## RAINWEAR, FIRE-RETARDENT

- 100% waterproof PVC/Polyester/PVC construction
- Ultrasonically welded seams for durability and waterproofing
- Includes jacket, hood & bib-style pants
- Thickness .35 mm
- Cape back and underarm vents for increased air circulation

Item Number	Size	Colour	Thickness
TGRW-2010	Medium	Yellow	.35 mm
TGRW-2020	Large	Yellow	.35 mm
TGRW-2030	X-Large	Yellow	.35 mm
TGRW-2040	2X-Large	Yellow	.35 mm
TGRW-2050	3X-Large	Yellow	.35 mm



## BALACLAVA

Item Number	Colour	Size	Material
TGWC-220	Black	Large	Polyester

## HEAD WARMER

Item Number	Colour	Size	Material
TGWC-200	Red	Large	Polyester







## GLOVES, DISPOSABLE NITRILE

- 4 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-107-07	Small	4 mil	Light Blue	Powder Free
TGG-107-08	Medium	4 mil	Light Blue	Powder Free
TGG-107-09	Large	4 mil	Light Blue	Powder Free
TGG-107-10	X-Large	4 mil	Light Blue	Powder Free
TGG-107-11	2X-Large	4 mil	Light Blue	Powder Free



- 5 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-110-07	Small	5 mil	Dark Blue	Powder Free
TGG-110-08	Medium	5 mil	Dark Blue	Powder Free
TGG-110-09	Large	5 mil	Dark Blue	Powder Free
TGG-110-10	X-Large	5 mil	Dark Blue	Powder Free
TGG-110-11	2X-Large	5 mil	Dark Blue	Powder Free



- 5 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-120-07	Small	5 mil	Black	Powder Free
TGG-120-08	Medium	5 mil	Black	Powder Free
TGG-120-09	Large	5 mil	Black	Powder Free
TGG-120-10	X-Large	5 mil	Black	Powder Free





## GLOVES, COATED

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- Nitrile coating provides improved grip and dexterity

Item Number	Size	Shell	Palm	CE
TGG-200-06	X-Small	Polyester	Nitrile	4122
TGG-200-07	Small	Polyester	Nitrile	4122
TGG-200-08	Medium	Polyester	Nitrile	4122
TGG-200-09	Large	Polyester	Nitrile	4122
TGG-200-10	X-Large	Polyester	Nitrile	4122
TGG-200-11	2X-Large	Polyester	Nitrile	4122



- 13 Gauge polyester
- Shell colour: black
- Palm colour: grey
- Foam nitrile coating provides better grip on slick, oily surfaces

Item Number	Size	Shell	Palm	CE
TGG-202-06	X-Small	Polyester	Foam Nitrile	4122
TGG-202-07	Small	Polyester	Foam Nitrile	4122
TGG-202-08	Medium	Polyester	Foam Nitrile	4122
TGG-202-09	Large	Polyester	Foam Nitrile	4122
TGG-202-10	X-Large	Polyester	Foam Nitrile	4122
TGG-202-11	2X-Large	Polyester	Foam Nitrile	4122



- 13 Gauge nylon
- Shell colour: black
- Palm colour: black
- Polyurethane coating provides excellent dexterity

Item Number	Size	Shell	Palm	CE
TGG-206-06	X-Small	Nylon	Polyurethane	4141
TGG-206-07	Small	Nylon	Polyurethane	4141
TGG-206-08	Medium	Nylon	Polyurethane	4141
TGG-206-09	Large	Nylon	Polyurethane	4141
TGG-206-10	X-Large	Nylon	Polyurethane	4141
TGG-206-11	2X-Large	Nylon	Polyurethane	4141





## GLOVES, COATED

- 13 gauge kevlar shell
- Shell colour: yellow
- Palm colour: black
- Kevlar / black nitrile coating combination provides increase cut, abrasion and tear resistance.
- Wrinkle finish palm coating provides superior wet or dry grip

Item Number	Size	Shell	Palm	CE
TGG-209-07	Small	Kevlar	Nitrile Foam	4342
TGG-209-08	Medium	Kevlar	Nitrile Foam	4342
TGG-209-09	Large	Kevlar	Nitrile Foam	4342
TGG-209-10	X-Large	Kevlar	Nitrile Foam	4342
TGG-209-11	2X-Large	Kevlar	Nitrile Foam	4342



- 10 Gauge seamless knit poly-cotton shell
- Shell colour: blue
- Palm colour: blue
- Cold weather glove
- Wrinkle finish rubber latex coating provides superior wet or dry grip

Item Number	Size	Shell	Palm	CE
TGG-220-06	X-Small	Poly-Cotton	Rubber Latex	3141
TGG-220-07	Small	Poly-Cotton	Rubber Latex	3141
TGG-220-08	Medium	Poly-Cotton	Rubber Latex	3141
TGG-220-09	Large	Poly-Cotton	Rubber Latex	3141
TGG-220-10	X-Large	Poly-Cotton	Rubber Latex	3141
TGG-220-11	2X-Large	Poly-Cotton	Rubber Latex	3141



## GLOVES, WORK

- Full palm deerskin leather is naturally soft and flexible
- Shirred elastic cuff
- Stretch spandex back for snug fit and comfort
- Lightly padded palm

Item Number	Size	Leather	Lining
TGG-516-L	Large	Deer	Unlined
TGG-516-XL	X-Large	Deer	Unlined
TGG-517-L	Large	Deer	Thinsulate
TGG-517-XL	X-Large	Deer	Thinsulate





## GLOVES, LEATHER

- Fitters glove
- Grain leather provides excellent comfort, durability and strength
- Patch / Two-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton lined

Item Number	Size	Leather	Lining
TGG-400-L	Large	Grain	Cotton Palm



- Fitters glove
- Grain leather provides excellent comfort, durability and strength
- Full / One-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton Lined

Item Number	Size	Leather	Lining
TGG-401-L	Large	Grain	Cotton Palm
TGG-401-XL	X-Large	Grain	Cotton Palm



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Patch / two-piece palm
- Starched cuff
- Breathable cotton back provides ventilation for user comfort
- Unlined

Item Number	Size	Leather	Lining
TGG-416-L	Large	Split	Cotton



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton Lined

Item Number	Size	Leather	Lining
TGG-418-L	Large	Split	Unlined





## GLOVES, LEATHER

- Drivers glove
- Full / one-piece palm
- Shirred elastic cuff
- Grain leather provides excellent comfort, durability and strength
- Cotton lined palm for comfort

Item Number	Size	Leather	Lining
TGG-404-M	Medium	Grain	Cotton
TGG-404-L	Large	Grain	Cotton
TGG-404-XL	X-Large	Grain	Cotton



- Drivers glove
- Full / one-piece palm
- Shirred elastic cuff
- Grain leather provides excellent comfort, durability and strength
- Unlined palm

Item Number	Size	Leather	Lining
TGG-408-M	Medium	Grain	Unlined
TGG-408-L	Large	Grain	Unlined
TGG-408-XL	X-Large	Grain	Unlined



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Patch / two-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton lined palm for comfort

Item Number	Size	Leather	Lining
TGG-414-L	Large	Split	Cotton



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- BOA lined

Item Number	Size	Leather	Lining
TGG-412-L	Large	Grain	BOA
TGG-412-XL	X-Large	Grain	BOA





## GLOVES, LEATHER

- Fitters glove
- Pigskin leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M 100g Thinsulate lined for work in cold weather

Item Number	Size	Leather	Lining
TGG-514-L	Large	Pigskin	3M Thinsulate



- Fitters glove
- Cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M 100g Thinsulate lined for work in cold weather

Item Number	Size	Leather	Lining
TGG-513-L	Large	Grain	3M Thinsulate
TGG-513-XL	X-Large	Grain	3M Thinsulate
TGG-513-2XL	2X-Large	Grain	3M Thinsulate



- Fitters glove
- Split cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M 100g Thinsulate lined for work in cold weather

Item Number	Size	Leather	Lining
TGG-511-L	Large	Split	3M Thinsulate
TGG-511-XL	X-Large	Split	3M Thinsulate



- Fitters glove
- Split cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M 40g Thinsulate lined for work in cold weather

Item Number	Size	Leather	Lining
TGG-512-L	Large	Split	3M Thinsulate
TGG-512-XL	X-Large	Split	3M Thinsulate





## GLOVES, LEATHER

- Fully lined welders glove
- Grey split cowhide leather provides excellent comfort, durability and strength
- Gunn cut with wing thumb

Item Number	Size	Leather	Lining	Style
TGG-502-L	Large	Split	Thermal	Three Finger
TGG-507-L	Large	Split	Thermal	Five Finger



## GLOVES, COTTON

- Clute cut design with full canvas back
- Knit wrist helps keep out dirt & debris
- Split cowhide leather palm
- Straight thumb

Item Number	Size	Leather	Lining
TGG-606-L	Large	Split	Unlined



- 8 oz. 100% cotton
- Clut cut design
- Knit wrist helps keep out dirt & debris

Item Number	Size	Material	Lining
TGG-616-L	Large	Cotton	Unlined



- String knit, reversible, glove
- Regular weight and bleached
- 60% Polyester 40% Cotton
- Knit wrist with colour-coded hem helps keep out dirt & debris

Item Number	Size	Material	Lining
TGG-608-L	Large	Poly-Cotton	Unlined





## 3/8" DRIVE SAE & METRIC SOCKET SET

- 3/8" Drive professional ratchet with quick release
- 72 Tooth ratchet, for minimal movement fastening
- 44 Piece set kit includes:
- 2 Extension bars, 3" & 6"
- 1 1-7/8" universal joint
- 1 8" sliding T-bar
- Blow moulded carrying case

Item Number	Total Pieces	Sockets in Set
TGSS-SET01	44	6 Point Sockets: 3/8" - 3/4" & 8mm - 19mm 6 Point Deep Sockets: 3/8" - 3/4" & 8mm - 19mm



## 1/2" DRIVE SAE & METRIC SOCKET SET

- 1/2" Drive professional ratchet with quick release
- 72 Tooth ratchet, for minimal movement fastening
- 55 Piece set kit includes:
- 2 Extension bars, 5" & 10"
- 1 2-3/4" Universal joint
- 1 10" Sliding T-Bar
- Blow moulded carrying case

Item Number	Total Pieces	Sockets in Set
TGSS-SET02	55	6 point Sockets 3/8" - 1-1/4" & 10mm - 32mm 6 point Deep Sockets 7/16" - 7/8" & 10mm - 21mm



## 3/4" DRIVE SAE SOCKET SET

- 3/4" Drive professional ratchet
- 24 Tooth oval shaped reversible ratchet
- 21 Piece set includes:
- 2 Extension bars 4" & 8"
- 1 18" Sliding T-handle

Item Number	Total Pieces	Sockets in Set
TGSS-SET03	21	6 point Sockets 3/4" - 2" (1/16" Increments)







## DEEP IMPACT SOCKET SETS

- 6 Point sockets
- Chrome molybdenum steel for strength and durability
- Finish: black phosphate
- Includes blow molded case

Item Number	Total Pieces	Drive	Sockets in Set
TGSS-001	11	1/2"	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
TGSS-002	11	1/2"	10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm 24mm
TGSS-007	8	3/4"	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
TGSS-008	8	3/4"	24mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm, 38mm

Individual Sockets Available, Contact Distributor for Details.



## TAPE MEASURES

- High impact ABS case for longevity
- Thumb lock for quick lock / release function
- Belt clip for easy storage

Item Number	Length	Width	Magnetic Tip	Graduation
TGTM-001	16' (5m)	3/4" (19mm)	No	Inch Only
TGTM-002	16' (5m)	3/4" (19mm)	No	Inch & Metric
TGTM-003	25' (7.5m)	1" (25mm)	No	Inch Only
TGTM-004	25' (7.5m)	1" (25mm)	No	Inch & Metric
TGTM-005	16' (5m)	3/4" (19mm)	Yes	Inch Only
TGTM-006	16' (5m)	3/4" (19mm)	Yes	Inch & Metric
TGTM-007	25' (7.5m)	1" (25mm)	Yes	Inch Only
TGTM-008	25' (7.5m)	1" (25mm)	Yes	Inch & Metric





## COMBINATION WRENCH SETS

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes faster damage and increase torque
- Premium canvas pouch

Item Number	Total Pieces	Sizes in Set
TGCW-SET-16PC	16	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
TGCW-SET-10PC	10	1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2"



## COMBINATION WRENCHES

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes faster damage and increase torque



Item Number	Size	Length
TGCW-025	1/4"	5.08"
TGCW-031	5/16"	5.55"
TGCW-037	3/8"	6.30"
TGCW-044	7/16"	6.57"
TGCW-050	1/2"	7.20"
TGCW-056	9/16"	7.51"
TGCW-063	5/8"	8.39"
TGCW-069	11/16"	8.90"
TGCW-075	3/4"	9.84"
TGCW-081	13/16"	10.47"
TGCW-088	7/8"	11.57"
TGCW-094	15/16"	12.08"
TGCW-100	1"	13.38"
TGCW-106	1-1/16"	14.21"

Item Number	Size	Length
TGCW-113	1-1/8"	16.37"
TGCW-125	1-1/4"	16.77"
TGCW-131	1-5/16"	17.71"
TGCW-137	1-3/8"	17.51"
TGCW-144	1-7/16"	18.70"
TGCW-150	1-1/2"	18.50"
TGCW-162	1-5/8"	19.68"
TGCW-168	1-11/16"	21.06"
TGCW-175	1-3/4"	21.06"
TGCW-181	1-13/16"	21.06"
TGCW-187	1-7/8"	22.55"
TGCW-200	2"	23.74"
TGCW-213	2-1/8"	26.57"
TGCW-225	2-1/4"	26.57"
TGCW-237	2-3/8"	27.55"
TGCW-250	2-1/2"	27.55"



## METRIC COMBINATION WRENCH SETS

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes faster damage and increase torque
- Premium canvas pouch

Item Number	Total Pieces	Sizes in Set
TGCW-SET-22PC-MET	22	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 30mm, 32mm
TGCW-SET-16PC-MET	16	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm 24mm
TGCW-SET-14PC-MET	14	7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 17mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm



## METRIC COMBINATION WRENCHES

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes faster damage and increase torque



Item Number	Size	Length
TGCW-M007	7	5.28"
TGCW-M008	8	5.55"
TGCW-M009	9	5.91"
TGCW-M010	10	6.30"
TGCW-M012	12	6.85"
TGCW-M013	13	7.20"
TGCW-M014	14	7.52"
TGCW-M015	15	7.95"

Item Number	Size	Length
TGCW-M016	16	8.39"
TGCW-M017	17	8.90"
TGCW-M018	18	9.41"
TGCW-M019	19	9.84"
TGCW-M020	20	10.47"
TGCW-M022	22	11.57"
TGCW-M024	24	12.55"
TGCW-M026	26	13.38"
TGCW-M028	28	14.21"
TGCW-M030	30	16.37"
TGCW-M032	32	16.77"



## LEVEL, STANDARD DUTY

- High strength aluminum body provides maximum durability
- Tubular vial are accurate within 0.001 per inch
- Shock absorbing rubber end caps

Item Number	Length	Level Vials	Plumb Vials
TGL-024-01	24"	1	2
TGL-048-01	48"	1	2
TGL-072-01	72"	1	2



## LEVEL, HEAVY DUTY

- High strength aluminum body provides maximum durability
- Tubular vial are accurate within 0.0005 per inch
- Shock absorbing rubber end caps
- Comfortable rubber grips

Item Number	Length	Level Vials	Plumb Vials
TGL-024-03	24"	1	2
TGL-048-03	48"	1	2
TGL-072-03	72"	1	2

## LEVEL, HEAVY DUTY

- Magnetic edge helps keep level in place on metal surfaces
- High strength aluminum body provides maximum durability
- Tubular vial are accurate within 0.0005 per inch
- Shock absorbing rubber end caps
- Comfortable rubber grips

Item Number	Length	Level Vials	Plumb Vials
TGL-024-05	24"	1	2
TGL-048-05	48"	1	2

## LEVEL, LASER

- Tubular vials are accurate within 0.001 per inch
- High strength aluminum frame provides maximum durability
- Shock absorbing rubber end caps
- Digital Module for accurate reads of slope
- Laser Functions: Horizontal Line, Cross-Line Pattern

Item Number	Length	45 Vial	Level Vials	Plumb Vials
TGL-024-09	24"	-	1	1



## LEVEL, TORPEDO

- Tubular vials are accurate within 0.001 per inch
- High strength aluminum frame provides maximum durability
- Shock absorbing rubber end caps
- \*Magnetic edge helps keep level in place on metal surfaces

Item Number	Length	45 Vial	Level Vials	Plumb Vials
TGL-009-20	9"	1	1	1
TGL-009-22*	9"	1	1	1





## PLIERS

- Constructed of chrome vanadium steel hardened for maximum strength and durability
- Double-dipped handles provide comfortable use
- Meet ANSI Standards

Item Number	Type	Length	Shipping Weight
TGHT-020-007	Long Nose	7"	.42 lbs
TGHT-020-008	Long Nose	8"	.50 lbs
TGHT-021-006	Bent Nose	6"	.29 lbs
TGHT-021-008	Bent Nose	8"	.50 lbs
TGHT-014-006	Slip Joint	6"	.41 lbs
TGHT-014-008	Slip Joint	8"	.64 lbs
TGHT-014-010	Slip Joint	10"	.91 lbs
TGHT-016-008	Groove Joint	8"	.56 lbs
TGHT-016-010	Groove Joint	10"	.94 lbs
TGHT-016-012	Groove Joint	12"	1.40 lbs
TGHT-018-006	Linesman	6"	.44 lbs
TGHT-018-008	Linesman	8"	.77 lbs
TGHT-031-006	Diagonal Cutter	6"	.31 lbs
TGHT-031-007	Diagonal Cutter	7"	.42 lbs
TGHT-031-008	Diagonal Cutter	8"	.51 lbs



## PLIERS, CURVED JAW LOCKING

- Constructed of chrome vanadium steel hardened for maximum strength and durability
- Bare metal handle
- Curved jaws, knurled tips and wire cutters
- Locks instantly, releases quickly and adjusts to pliers action
- Meets ANSI Standards

Item Number	Type	Length	Min Open	Max Open
TGHT-030-007	Curved Jaw Locking	7"	.67"	1.14"
TGHT-030-010	Curved Jaw Locking	10"	.79"	1.46"





## SCREWDRIVERS

- Chrome Vanadium Steel blades for hardness and high strength
- Black magnetic tip for easy start
- Nonslip plastic handle that's comfortable to grip
- Quick reference handle imprint

Item Number	Head	Head Size	Blade Length
TGSD3101	Square	#1	4"
TGSD3201	Square	#2	6"
TGSD3301	Square	#3	6"
TGSD3204	Square	#2	1.5"
TGSD1101	Phillips	#1	4"
TGSD1201	Phillips	#2	4"
TGSD1301	Phillips	#3	6"
TGSD1204	Phillips	#2	1.5"
TGSD5101	Slot	3/16"	4"
TGSD5201	Slot	1/4"	4"
TGSD5301	Slot	5/16"	6"
TGSD5401	Slot	3/8"	6"
TGSD5204	Slot	1/4"	1.5"



## HEX KEY SETS

- Chrome vanadium steel
- Finish: Black oxide
- Rubber handle / holder

Item Number	Style	Pieces	Size Range
TGHT3321	Folding - Regular	8	1.5 - 8 mm
TGHT3331	Folding - Regular	9	5/64" - 1/4"
TGHT3301	Carded - Ball End	9	1.5 - 10 mm
TGHT3311	Carded - Ball End	9	1/16" - 3/8"





## ADJUSTABLE WRENCHES

- Chrome Vanadium Steel for strength and durability
- Chrome Finish
- Cushioned grip for added comfort and visibility or choose plain grip

Item Number	Handle	Length	Max Jaw Width
IDI-AW6	Plain Grip	6"	15/16"
IDI-AW8	Plain Grip	8"	1-1/8"
IDI-AW10	Plain Grip	10"	1-5/16"
IDI-AW12	Plain Grip	12"	1-1/2"
IDI-AW15	Plain Grip	15"	1-11/16"
IDI-AW18	Plain Grip	18"	2-1/16"
IDI-AWC06	Cushion Grip	6"	15/16"
IDI-AWC08	Cushion Grip	8"	1-1/8"
IDI-AWC10	Cushion Grip	10"	1-5/16"
IDI-AWC12	Cushion Grip	12"	1-1/2"



## PIPE WRENCHES, STRAIGHT HANDLE

- Constructed from cast iron for strength and durability
- Aluminum pipes are lighter than regular steel pipe wrench
- Replaceable Jaws

Item Number	Body	Length	Pipe Capacity
TGPW-08	Cast Iron	8"	1"
TGPW-10	Cast Iron	10"	1.5"
TGPW-12	Cast Iron	12"	2"
TGPW-14	Cast Iron	14"	2"
TGPW-18	Cast Iron	18"	2.5"
TGPW-24	Cast Iron	24"	3"
TGPW-10-01	Aluminum	10"	1"
TGPW-12-01	Aluminum	12"	1-1/2"
TGPW-14-01	Aluminum	14"	2"
TGPW-18-01	Aluminum	18"	2-1/2"
TGPW-24-01	Aluminum	24"	3"
TGPW-36-01	Aluminum	36"	5"
TGPW-48-01	Aluminum	48"	6"





## UTILITY KNIVES

- Heavy-Duty cutter
- Contoured handle
- Stainless steel blade channel
- Replacement blades: TGUK-001-10

Item Number	Description	Replacement Blade
TGUK-001-00	Ratchet Lock Blade, Utility Knife	TGUK-001-10

- Standard Duty cutter
- Stainless steel blade channel
- Attached blade snapper
- Replacement blades: TGUK-018-10

Item Number	Description	Replacement Blade
TGUK-018-00	Slide Lock Blade, Utility Knife	TGUK-018-10

- Heavy-Duty cutter
- Handle holds 5 blades
- Auto-Load blade function
- Stainless steel blade channel
- Replacement blade: TGUK-002-10

Item Number	Description	Replacement Blade
TGUK-002-00	Heavy-Duty Utility Knife	TGUK-002-10

## REPLACEMENT BLADES

Item Number	Blades Per Pack	Segments Per Blade	Use With Model
TGUK-001-10	10	8	TGUK-001
TGUK-002-10	10	8	TGUK-002
TGUK-018-10	10	12	TGUK-018







## DIGITAL CALIPERS

- Display: SAE & Metric
- Resolution: 0.0005"
- Battery & Case Included
- Fine Adjustment Thumb Wheel
- Function Buttons:
  - SAE/Metric Conversion
  - Zero at Any Position

Item Number	Range	Housing	Resolution
IDI-21151S	0-6" / 150mm	Stainless Steel	0.0005"



Item Number	Range	Housing	Resolution
IDI-P349-101	0-6" / 150mm	Stainless Steel	0.0005"
IP54 Water Proof Rating			



Item Number	Range	Housing	Resolution
IDI-21150S	0-6" / 150mm	Plastic	0.0005"
IDI-21200S	0-8" / 200mm	Plastic	0.0005"



## MICROMETERS

Item Number	Description	Range	Graduation
IDI-208C-001	Outside Micrometer	0 - 25mm	0.01 mm
IDI-208C-002	Outside Micrometer	25 - 50mm	0.01 mm
IDI-208C-003	Outside Micrometer	50 - 75mm	0.01 mm
IDI-208C-535	Outside Micrometer	0 - 1"	0.00005"





## MAGNETIC STAND, UNIVERSAL

- Body Construction: Aluminum
- Accuracy: 0.001 / inch
- Standard Duty

Item Number	Description
TG-MAGSTAND-80	Universal Magnetic Stand 80kg



## DIAL INDICATORS, IMPERIAL

Item Number	Diameter	Range	Reading	Graduation
IDI-203-101	1.50"	0 - 0.25"	0-100-0	.001"
IDI-203-102	2.25"	0 - 0.50"	0-100-0	.005"
IDI-203-103	2.25"	0 - 1.00"	0-100-0	.001"



## DIAL INDICATORS, METRIC

Item Number	Diameter	Range	Reading	Graduation
IDI-401-001	40 mm	0 - 3 mm	0-100-0	.01 mm
IDI-402-001	40 mm	0 - 5 mm	0-100-0	.01 mm
IDI-404-001	60 mm	0 - 10 mm	0-100-0	.01 mm

## MAGNETIC PICKUP

- 5 lbs. Lift (lbs.)
- Minimum Length: 5-1/4"
- Telescopic Handle extends to over 25-1/2" in length, making it handy for picking up or retrieving small ferrous metal items.

Item Number	Min. Length	Max. Length	Lift
TGMP-005	5-1/4"	25-1/2"	5 lbs





## HOLE SAW KIT

- M42 Cobalt high speed steel, stays sharp and hard in heavy-duty production / usage
- Variable pitch maintains smoothing cutting in a wide variety of material
- Colour: White
- Arbors: 3/8 Hex for sizes: 9/16 - 1-3/16  
1/2 Hex for sizes: 1-1/4 - 4-3/4

Item Number	Total Pieces	Sizes in Set
TGHS-K019	19	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 2-5/8", 3", 3-1/2", 3-5/8", 4-1/8", 4-1/4", 4-1/2", 4-3/4"
Individual Hole Saws Available, Contact Distributor for Details.		



## WRECKING, UTILITY & PRY BARS

- Wrecking Bar combines roll head and angle pry bar ends for better access in tight work areas
- Tempered Alloy Steel
- Electrostatic Powder Coated Finish
- Pry Bar has a round tapered handle and pinch point end to pry and lever heavy objects

Item Number	Description	Length	Weight
TGHT-040-024	Wrecking Bar	24"	4.25 lbs.
TGHT-040-036	Wrecking Bar	36"	6.25 lbs.
TGHT-044-015	Utility Bar	15"	1.5 lbs.
TGHT-048-060	Pry Bar	60"	18 lbs.



## TIN SNIPS

- Material: 55# Steel
- Cushion grip dipped handle for comfort and improved grip
- Straight, Left and Right cuts

Item Number	Length	Cut Length	Capacity
TGHT-037-001	7-3/4"	1-3/4"	21 gauge
TGHT-037-002	9-3/4"	2-3/8"	20 gauge
TGHT-037-003	11-3/4"	2-3/4"	20 gauge





## AVIATION SNIPS

- Non-Slip Serrated Jaws
- Colour Coded Handles
- Self Opening Spring Function

Item Number	Length	Cut	Colour	Capacity
TGHT-036-001	10"	Straight	Yellow	18 Gauge
TGHT-036-002	10"	Left	Red	18 Gauge
TGHT-036-003	10"	Right	Green	18 Gauge



## PNEUMATIC DIE GRINDERS

- Body Construction: Aluminum
- Collet Size: 1/4"


Item Number	Type	CFM	Air Inlet	Free Speed
XQ812A	Standard	4.0	1/4" NPT	25,000 RPM
XQ811A	Mini	2.8	1/4" NPT	22,000 RPM
XQ816	45 Angle	2.8	1/4" NPT	20,000 RPM



## AIR HOSE, SELF-STORING

- Material: Polyurethane
- Colour: Blue

Item Number	Hose I.D.	Fitting	Length	PSI
TGAH-152525	1/4"	1/4"	15'	125
TGAH-252525	1/4"	1/4"	25'	125
TGAH-502525	1/4"	1/4"	50'	125
TGAH-153737	3/8"	3/8"	15'	125
TGAH-253737	3/8"	3/8"	25'	125
TGAH-503737	3/8"	3/8"	50'	125
TGAH-153725	3/8"	1/4"	15'	125
TGAH-253725	3/8"	1/4"	25'	125
TGAH-503725	3/8"	1/4"	50'	125





## HOSE CLAMPS

- Band: 1/2" 301 Stainless Steel
- Screw: 15/16 Slotted, 301 Stainless Steel
- Housing: 301 Stainless Steel
- Constructed of non-corrosive stainless steel for longer life / usage
- Idea for industrial applications



Item Number	Min. Diameter	Max. Diameter
TGHC-01-006	3/8"	7/8"
TGHC-01-008	7/16"	1"
TGHC-01-010	9/16"	1-1/16"
TGHC-01-012	9/16"	1-1/4"
TGHC-01-016	11/16"	1-1/2"
TGHC-01-020	3/4"	1-3/4"
TGHC-01-024	1-1/16"	2"
TGHC-01-028	1-5/16"	2-1/4"
TGHC-01-032	1-9/16"	2-1/2"
TGHC-01-036	1-13/16"	2-3/4"
TGHC-01-040	2 -1/16"	3"
TGHC-01-044	2-5/16"	3-1/4"
TGHC-01-048	2-9/16"	3-1/2"
TGHC-01-052	2-13/16"	3-3/4"
TGHC-01-056	3-1/16"	4"
TGHC-01-060	3-5/16"	4-1/4"
TGHC-01-064	2-1/2"	4-1/2"
TGHC-01-072	3"	5"
TGHC-01-080	3-1/2"	5-1/2"
TGHC-01-084	3-3/4"	5-3/4"
TGHC-01-088	4"	6"
TGHC-01-188	2-1/16"	12 -1/4"

- Band: 1/2" 201 Stainless Steel
- Screw: 15/16 Slotted, Carbon Steel
- Housing: 301 Stainless Steel
- Constructed of non-corrosive stainless steel for longer life / usage
- Idea for industrial applications

Item Number	Min. Diameter	Max. Diameter
TGHC-03-006	3/8"	7/8"
TGHC-03-008	7/16"	1"
TGHC-03-010	9/16"	1-1/16"
TGHC-03-012	9/16"	1-1/4"
TGHC-03-016	11/16"	1-1/2"
TGHC-03-020	3/4"	1-3/4"
TGHC-03-024	1-1/16"	2"
TGHC-03-028	1-5/16"	2-1/4"
TGHC-03-032	1-9/16"	2-1/2"
TGHC-03-036	1-13/16"	2-3/4"
TGHC-03-040	2-1/16"	3"
TGHC-03-044	2-5/16"	3-1/4"
TGHC-03-048	2-9/16"	3-1/2"
TGHC-03-052	2-13/16"	3-3/4"
TGHC-03-056	3-1/16"	4"



## BRASS BALL VALVES

- Full Port Threaded
- 600 WOG
- CSA, UL, FM, CGA Certified
- Standard Handle

Item Number	Size (inch)	Handle
TG-BBVT-1/4	1/4"	Standard
TG-BBVT-3/8	3/8"	Standard
TG-BBVT-1/2	1/2"	Standard
TG-BBVT-3/4	3/4"	Standard
TG-BBVT-1	1"	Standard
TG-BBVT-1-1/4	1-1/4"	Standard
TG-BBVT-1-1/2	1-1/2"	Standard
TG-BBVT-2	2"	Standard
TG-BBVT-3	3"	Standard
TG-BBVT-4	4"	Standard

- Full Port Threaded
- 600 WOG
- CSA, UL, FM Certified
- Standard Handle
- Lead-Free Body

Item Number	Size (inch)	Handle
TG-BBVT-1/4-L/F	1/4"	Standard
TG-BBVT-3/8-L/F	3/8"	Standard
TG-BBVT-1/2-L/F	1/2"	Standard
TG-BBVT-3/4-L/F	3/4"	Standard
TG-BBVT-1-L/F	1"	Standard
TG-BBVT-1-1/4-L/F	1-1/4"	Standard
TG-BBVT-1-1/2-L/F	1-1/2"	Standard
TG-BBVT-2-L/F	2"	Standard
TG-BBVT-3-L/F	3"	Standard
TG-BBVT-4-L/F	4"	Standard



- Full Port Threaded
- 600 WOG
- CSA, UL, FM Certified
- Locking Handle

Item Number	Size (inch)	Handle
TG-BBVT-1/4-L/O	1/4"	Locking
TG-BBVT-3/8-L/O	3/8"	Locking
TG-BBVT-1/2-L/O	1/2"	Locking
TG-BBVT-3/4-L/O	3/4"	Locking
TG-BBVT-1-L/O	1"	Locking
TG-BBVT-1-1/4-L/O	1-1/4"	Locking
TG-BBVT-1-1/2-L/O	1-1/2"	Locking



## SHOVELS

- All purpose shovel, ideal for most applications
- Durable steel blade engineered to withstand heavy use
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Blade: stamped steel
- Blade width: 11.25"
- Weight: 5.2 lbs.

Item Number	Length	Blade Width	Handle Type
TGAS112D	46.5"	11.25"	D

- Square point shovel is ideal for scooping and moving dirt, gravel and other landscaping material
- Solid ash handle is stained to help prevent chipping and water damage
- Durable black tempered steel blade engineered to withstand heavy use
- Forward turned steps on blade for additional leverage
- Blade width: 10.50"
- Weight: 3.8 lbs.

Item Number	Length	Blade Width	Handle Type
TGHS2L	61.5"	10.50"	Long

- Round point shovel is ideal for digging, planting and moving earth
- Solid ash handle is stained to help prevent chipping and water damage
- Durable black tempered steel blade engineered to withstand heavy use
- Forward turned steps on blade for additional leverage
- Blade Width: 8.50"
- Weight: 4.2 lbs.

Item Number	Length	Blade Width	Handle Type
TGHR2FL	63.5"	8.50"	Long

- Grain Scoop #8
- Ideal of moving grain, seed, feed, fertilizers and other granulated materials
- Handle: hardwood, natural finish
- Handle Length: 48"
- Aluminum blade is lightweight and durable
- Blade width: 13"
- Weight: 3.8 lbs.

Item Number	Length	Blade Width	Handle Type
TGAG08L	65"	13"	Long





## WINTER SHOVELS

- Poly snow shovel
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Size: 14.5" x 7.5"



Item Number	Length	Blade Width	Handle Type
TGP139KD	53.5"	14.5" x 7.5"	"D"

- Poly Snow Pusher
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Width: 20.5" x 6"



Item Number	Length	Blade Size	Handle Type
TGPP21KD	56"	20.5" x 6"	"D"

- Poly Snow Pusher
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Size: 25.5" x 5"



Item Number	Length	Blade Size	Handle Type
TGPP26KD	56.5"	25.5" x 5"	"D"





## ICE SCRAPER

- Tempered steel sidewalk ice scraper
- Solid ash handle is stained to help prevent chipping and water damage
- Long Handle
- Durable black tempered steel blade engineered to withstand heavy use
- Blade Width: 7".



Item Number	Length	Blade Size	Handle Type
TGHSW7	54"	7" x 1.5"	Long

## RAKES

- Bow Rake are ideal of spreading earth, clearing flower beds and loosening soil
- 14 heavy-duty steel tines
- Handle: hardwood
- Handle length: 54"
- Head: baked enamel finish
- Head width: 13.5"
- Weight: 3 lbs.



Item Number	Length	Blade Width	Handle Type
TGBR14	59"	13.5"	Long

- Springback Lawn Rake
- Steel Tines
- Handle: Hardwood
- Handle Length: 54"
- Head: Tempered Steel
- Head Width: 24"
- Weight: 2.6 lbs.



Item Number	Length	Blade Width	Handle Type
TGLSBR24	73"	24"	Long



## TARPS, HEAVY DUTY

- Water proof and resistance to chemicals, tearing and mildew
- Weave: 10 x 10
- GSM: 110
- Material: H.D.P.E. (High Density Polyethylene)
- Aluminum Grommets Every 3'
- Polyethylene Rope Reinforced Hems

Item Number	Dimensions	Colour
TARP-0608-BLUE-10x10	6' X 8'	Blue
TARP-0810-BLUE-10x10	8' X 10'	Blue
TARP-1012-BLUE-10x10	10' X 12'	Blue
TARP-1015-BLUE-10x10	10' X 15'	Blue
TARP-1520-BLUE-10x10	15' X 20'	Blue
TARP-1824-BLUE-10x10	18' X 24'	Blue
TARP-2030-BLUE-10x10	20' X 30'	Blue
TARP-3040-BLUE-10x10	30' X 40'	Blue
TARP-3050-BLUE-10x10	30' X 50'	Blue
TARP-4050-BLUE-10x10	40' X 50'	Blue
TARP-4060-BLUE-10x10	40' X 60'	Blue



## TARPS, REGULAR DUTY

- Water proof and resistance to chemicals, tearing and mildew
- Weave: 8 x 8
- GSM: 85

Item Number	Dimensions	Colour
TARP-0608-CLEAR	6' X 8'	White
TARP-0810-CLEAR	8' X 10'	White
TARP-1012-CLEAR	10' X 12'	White
TARP-1015-CLEAR	10' X 15'	White
TARP-1520-CLEAR	15' X 20'	White
TARP-1824-CLEAR	18' X 24'	White
TARP-2030-CLEAR	20' X 30'	White
TARP-3040-CLEAR	30' x 40'	White
TARP-3050-CLEAR	30' X 50'	White
TARP-4060-CLEAR	40' X 60'	White

Item Number	Dimensions	Colour
TARP-0608-BLUE	6' X 8'	Blue
TARP-0810-BLUE	8' X 10'	Blue
TARP-1012-BLUE	10' X 12'	Blue
TARP-1015-BLUE	10' X 15'	Blue
TARP-1520-BLUE	15' X 20'	Blue
TARP-1824-BLUE	18' X 24'	Blue
TARP-2030-BLUE	20' X 30'	Blue
TARP-3040-BLUE	30' X 40'	Blue
TARP-3050-BLUE	30' X 50'	Blue
TARP-4050-BLUE	40' X 50'	Blue
TARP-4060-BLUE	40' X 60'	Blue



## MECHANICS VISE

- High quality grey iron casting for increased strength
- Replaceable precision machined hardened steel jaws
- Solid base (Swivel attachment sold separately)

Item Number	Jaw Width	Jaw Opening	Jaw Depth
TGV-003	4"	4"	2-3/8"
TGV-005	5"	5"	2-7/8"
TGV-006	6"	6"	3-1/3"
TGV-008	8"	7-7/8"	4"



## MECHANICS VISE: ACCESSORIES & PARTS

Item Number	Description
TGV-013	Swivel Base for #3 Vise
TGV-015	Swivel Base for #5 Vise
TGV-016	Swivel Base for #6 Vise
TGV-018	Swivel Base for #8 Vise
TGV-023	Replacement Jaw Plates and Screws for #3 Vise
TGV-025	Replacement Jaw Plates and Screws for #5 Vise
TGV-026	Replacement Jaw Plates and Screws for #6 Vise
TGV-028	Replacement Jaw Plates and Screws for #8 Vise



## GREASE GUN, LEVER TYPE

- Convenient 2-way loading feature (Bulk or Cartridge)
- Capacity: 14 ounces (Bulk or Cartridge)
- Operating pressure 10,000 psi
- Longer handle of increase leverage
- Includes 2 Nozzle Extensions: 1 - 12" Flexible & 1 - 6" Rigid

Item Number	Loading	Capacity	Operating Pressure (PSI)
TG-GG14	2-Way	14 oz.	10,000





## PAINT BRUSHES

- General purpose applicator brushes
- Natural China bristles for use with oil-based paints, stains and varnishes
- Handle red plastic
- Bristles: gray (China)

Item Number	Width	Length	Bristles	Handle
TGB-3/4	3/4"	1-3/4"	China, Gray	Plastic
TGB-1	1"	1-3/4"	China, Gray	Plastic
TGB-1-1/2	1-1/2"	2"	China, Gray	Plastic
TGB-2	2"	2"	China, Gray	Plastic
TGB-3	3"	2-1/4"	China, Gray	Plastic

- Chip Brushes
- Made with natural China bristles for use with epoxy, glue, resin, stain, paint remover, cleaners, oils and more.
- Handle: plain wood
- Bristles: white (China)

Item Number	Width	Length	Bristles	Handle
TGB-1W	1"	1-1/2"	China, White	Wood
TGB-1-1/2W	1-1/2"	1-1/2"	China, White	Wood
TGB-2W	2"	1-1/2"	China, White	Wood
TGB-3W	3"	1-1/2"	China, White	Wood
TGB-4W	4"	1-1/2"	China, White	Wood

## FOAM PAINT BRUSHES

- Unfinished wood handle
- High density foam will not leave brush marks or loose bristles

Item Number	Width	Length	Bristles	Handle
TGB-01-FOAM	1"	2-5/8"	Foam	Wood
TGB-02-FOAM	2"	2-5/8"	Foam	Wood

## PAINT ROLLER SLEEVES

Item Number	Width	Pile	Pile (mm)	Colour
TGB-30-010	9-1/2"	3/8"	10	White
TGB-30-019	9-1/2"	3/4"	19	White
TGB-30-025	9-1/2"	1"	25	White
TGB-30-030	9-1/2"	1-1/8"	30	White





## PAINT BRUSHES

- Handle: Maple wood
- Bristles: 100% polyester
- Offer more versatility and can be used with all paints
- Flat sash
- Tinplate ferrule

Item Number	Width	Length	Bristles	Handle
TGB-06-150	1-1/2"	2"	Polyester	Wood
TGB-06-200	2"	2-3/16"	Polyester	Wood
TGB-06-300	3"	3-3/16"	Polyester	Wood
TGB-06-400	4"	3-11/16"	Polyester	Wood



- Handle: Maple wood
- Bristles: 100% polyester
- Offer more versatility and can be used with all paints
- Angular sash
- Tinplate ferrule

Item Number	Width	Length	Bristles	Handle
TGB-07-200	2"	2-5/8"	Polyester	Wood
TGB-07-300	3"	3-5/8"	Polyester	Wood



## ROPE, BULK REELS

- 3-Strand Polypropylene Twisted
- Polypropylene rope is ideal for general use
- Does not absorb water which allows the rope to float
- ABS riveted reels
- Colour: yellow

Item Number	Diameter	Length	Break Strength
TGR-3/16-B	3/16"	2125'	520 lbs
TGR-1/4-B	1/4"	1300'	900 lbs
TGR-5/16-B	5/16"	975'	1,368 lbs
TGR-3/8-B	3/8"	630'	1,944 lbs
TGR-1/2-B	1/2"	335'	3,024 lbs
TGR-5/8-B	5/8"	200'	4,464 lbs
TGR-3/4-B	3/4"	125"	6,120 lbs





## CABLE TIES

- Low insertion and pull through force for easier use
- Higher tensile strength achieved from one piece design
- CSA Approved
- UV Black made of weather-resistant nylon good for indoor or outdoor use
- Natural White made of natural nylon for indoor use only



Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-04-18-9-C	A-04-18-9-M	Natural White	18 lb.	4.10	.095	.042
A-04-18-0-C	A-04-18-0-M	UV Black	18 lb.	4.10	.095	.042
A-06-18-9-C	A-06-18-9-M	Natural White	18 lb.	6.18	.095	.042
A-06-18-0-C	A-06-18-0-M	UV Black	18 lb.	6.18	.095	.042
A-08-18-9-C	A-08-18-9-M	Natural White	18 lb.	8.10	.095	.042
A-08-18-0-C	A-08-18-0-M	UV Black	18 lb.	8.10	.095	.042

Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-05-40-9-C	A-05-40-9-M	Natural White	40 lb.	5.80	.140	.049
A-05-40-0-C	A-05-40-0-M	UV Black	40 lb.	5.80	.140	.049
A-08-40-9-C	A-08-40-9-M	Natural White	40 lb.	8.80	.140	.049
A-08-40-0-C	A-08-40-0-M	UV Black	40 lb.	8.80	.140	.049
A-11-40-9-C	-	Natural White	40 lb.	10.96	.140	.049
A-11-40-0-C	-	UV Black	40 lb.	10.96	.140	.049
A-14-40-9-C	-	Natural White	40 lb.	14.25	.140	.049
A-14-40-0-C	-	UV Black	40 lb.	14.25	.140	.049

Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-07-50-9-C	A-07-50-9-M	Natural White	50 lb.	7.50	.180	.052
A-07-50-0-C	A-07-50-0-M	UV Black	50 lb.	7.50	.180	.052
A-11-50-9-C	-	Natural White	50 lb.	11.20	.180	.052
A-11-50-0-C	-	UV Black	50 lb.	11.20	.180	.052
A-14-50-9-C	-	Natural White	50 lb.	14.25	.180	.052
A-14-50-0-C	-	UV Black	50 lb.	14.25	.180	.052
A-17-50-9-C	-	Natural White	50 lb.	17.00	.180	.052
A-17-50-0-C	-	UV Black	50 lb.	17.00	.180	.052



## CABLE TIES

- Low insertion and pull through force for easier use
- Higher tensile strength achieved from one piece design
- CSA Approved
- UV Black made of weather-resistant nylon good for indoor or outdoor use
- Natural White made of natural nylon for indoor use only



Item Number (50 Package)	Item Number (100 Package)	Colour	Tensile Strength	Length	Width	Thickness
-	A-08-120-9-C	Natural White	120 lb.	8.70	.300	.076
-	A-08-120-0-C	UV Black	120 lb.	8.70	.300	.076
-	A-14-120-9-C	Natural White	120 lb.	15.00	.300	.076
-	A-14-120-0-C	UV Black	120 lb.	15.00	.300	.076
A-18-120-9-L	-	Natural White	120 lb.	18.40	.300	.076
A-18-120-0-L	-	UV Black	120 lb.	18.40	.300	.076

Item Number (50 Package)	Item Number (100 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-24-175-9-L	-	Natural White	175 lb.	25.20	.340	.090
A-24-175-0-L	-	UV Black	175 lb.	25.20	.340	.090
A-36-175-9-L	-	Natural White	175 lb.	37.20	.340	.090
A-36-175-0-L	-	UV Black	175 lb.	37.20	.340	.090

## WEB SLINGS, TYPE 4

- Polyester slings are resistant to most chemicals. Not resistant to acids, aldehydes, ethers and strong alkalins

- Type 4, 2 Ply, double eye
- Vertical WLL: 6,200 lbs
- Chocker WLL: 4,960 lbs
- Basket WLL: 12,400 lbs

Item Number	Width	Length
TGWS40204	2"	4'
TGWS40206	2"	6'
TGWS40208	2"	8'
TGWS40210	2"	10'
TGWS40212	2"	12'



## WEB SLINGS, TYPE 3

- Polyester slings are resistant to most chemicals. Not resistant to acids, aldehydes, ethers and strong alkalis



- Type 3, 2 Ply, double eye
- Vertical WLL: 3,100 lbs
- Chocker WLL: 2,480 lbs
- Basket WLL: 6,200 lbs

Item Number	Width	Length
TGWS0102	1"	2'
TGWS0104	1"	4'
TGWS0106	1"	6'
TGWS0108	1"	8'
TGWS0110	1"	10'
TGWS0112	1"	12'

- Type 3, 2 Ply, double eye
- Vertical WLL: 6,200 lbs
- Chocker WLL: 4,960 lbs
- Basket WLL: 12,400 lbs

Item Number	Width	Length
TGWS0202	2"	2'
TGWS0204	2"	4'
TGWS0206	2"	6'
TGWS0208	2"	8'
TGWS0210	2"	10'
TGWS0212	2"	12'
TGWS0216	2"	16'
TGWS0218	2"	18'
TGWS0220	2"	20'

- Type 3, 2 Ply, double eye
- Vertical WLL: 8,800 lbs
- Chocker WLL: 7,040 lbs
- Basket WLL: 17,600 lbs

Item Number	Width	Length
TGWS0306	3"	6'
TGWS0308	3"	8'
TGWS0310	3"	10'
TGWS0312	3"	12'
TGWS0316	3"	16'
TGWS0318	3"	18'
TGWS0320	3"	20'

- Type 3, 2 Ply, double Eye
- Vertical WLL: 11,000 lbs
- Chocker WLL: 8,800 lbs
- Basket WLL: 22,000 lbs

Item Number	Width	Length
TGWS0406	4"	6'
TGWS0408	4"	8'
TGWS0410	4"	10'
TGWS0412	4"	12'
TGWS0416	4"	16'
TGWS0418	4"	18'
TGWS0420	4"	20'





## WINCH STRAPS

- Polyester webbing
- Colour: Yellow
- B.S.: 16,000 lbs.
- W.L.L.: 5,300 lbs.

Item Number	Size	Breaking Strength	Working Load Limit	Hook
RS-430-FLAT CE	4" x 30'	16,000 lbs	5,300 lbs	Flat
RS-440-FLAT CE	4" x 40'	16,000 lbs'	5,300 lbs	Flat
RS-430-DELTA CE	4" x 30'	16,000 lbs'	5,300 lbs	Delta



## RATCHET STRAPS

- Double-J hooks
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Straps: Yellow
- Handle stamped with WLL
- Strap marked with WLL & BS

Item Number	Size	Breaking Strength	Working Load Limit	Hooks
RS-116 CE	16' x 1"	3,000 lbs.	1,500 lbs	Double-J
RS-227 CE	27' x 2"	11,000 lbs.	5,000 lbs	Double-J



- Flat hook
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Straps: Yellow
- Handle stamped with WLL
- Strap marked with WLL & BS

Item Number	Size	Breaking Strength	Working Load Limit	Hooks
RS-227 FLAT CE	27' x 2"	11,000 lbs.	5,000 lbs	Flat





## WORK LIGHT, HALOGEN

- Tempered glass lenses and wire safety grill for additional protection
- Stand is powder coated with yellow finish for long wear
- Light weight for easy portability
- 500 Watt halogen bulb included
- Cord colour: Yellow

Item Number	AWG	Jacket	Length
TGFL-301	18/3	SJTW	6'



## WORK LIGHT TRI-POD

- Dual light fixtures that can be positioned at different angles for maximum area coverage
- Tri-Pod Stand is powder coated with yellow finish for long wear
- Tri-Pod stand height is adjustable for application
- Tempered glass lenses and wire safety grill for additional protection
- 500 Watt halogen bulb included
- Cord Colour: Yellow

Item Number	AWG	Jacket	Length
TGFL-302	18/3	SJTW	6'



## HALOGEN BULBS

Item Number	Description
TGFL-393	300W Quartz Halogen Replacement Bulb
TGFL-395	500W Quartz Halogen Replacement Bulb



## FLASHLIGHTS

Item Number	Body	Bulb	Batteries*
TGFL-102	Aluminum	3W LED	2 - AA
TGFL-101	ABS Plastic	1 NICHIA LED	2 - AA
TGFL-012	Aluminum	12 LED	3 - AAA
TGFL-008	Aluminum	8 LED	3 - AAA

\*Batteries not included



TGFL-102



TGFL-012



TGFL-101



## AEROSOL CHEMICALS

- Aerosol Cans
- Case Quantity: 12

Item Number	Handle	Size
TGC-14-X313	Cold Galvanized Coating	13 oz / 369g
TGC-03-X634	Food Grade Silicone	12 oz / 340g



## HAND CLEANER

- CFIA Approved

Item Number	Handle	Size
TGHC-001	Orange Citrus Cleaner with Pumice	3.5L
TGHC-003	Pink Lotion Soap	4L



## STRETCH WRAP

- Colour: Clear

Item Number	Width	Length	Micron	Gauge
TGSW-5	5"	1,000'	17	67



## PTFE TAPE

- PTFE Tape
- Thickness: 0.075mm
- 0.35 grams/cubic centimeter
- Colour: White

Item Number	Width	Length	Thickness
10TT03-IDI	1/2"	520'	0.075mm





## CASTERS

- Blue elastic rubber wheels perform well on all types of surfaces
- Temperature range: -20 c to +70 c
- Non-marking wheels



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-10300-R	TGC-10300-S	TGC-10302-S	3"	1-1/2"	220 lbs.	3-1/16 x 2-3/8
TGC-10400-R	TGC-10400-S	TGC-10402-S	4"	1-1/2"	330 lbs.	3-1/16 x 2-3/8
TGC-10500-R	TGC-10500-S	TGC-10502-S	5"	1-3/4"	440 lbs.	3-1/16 x 2-3/8
TGC-10600-R	TGC-10600-S	TGC-10602-S	6"	2-3/8"	770 lbs.	4-1/8 x 3-1/16

- Orange polyurethane wheels are suitable for heavier applications
- Temperature range: -20 c to +80 c
- Resistant to most cleaners and moisture
- Precision ball bearings




Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-30400-R	TGC-30400-S	TGC-30402-S	4"	2"	600 lbs	3-3/8 x 2-13/16
TGC-30500-R	TGC-30500-S	TGC-30502-S	5"	2"	750 lbs	3-3/8 x 2-13/16
TGC-30600-R	TGC-30600-S	TGC-30602-S	6"	2"	900 lbs	3-3/8 x 2-13/16
TGC-30800-R	TGC-30800-S	TGC-30802-S	8"	2"	900 lbs	3-3/8 x 2-13/16

- Phenolic wheels are suitable for smooth concrete and can be used for storage (standing) loads without permanent set
- Highly resistant to oil, grease, gasoline and mild acids
- Not recommended for wet applications
- Temperature range: -40 C to +120 c



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-50400-R	TGC-50400-S	TGC-50402-S	4"	2"	550 lbs	3-3/8 x 2-13/16
TGC-50500-R	TGC-50500-S	TGC-50502-S	5"	2"	700 lbs	3-3/8 x 2-13/16
TGC-50600-R	TGC-50600-S	TGC-50602-S	6"	2"	800 lbs	3-3/8 x 2-13/16
TGC-50800-R	TGC-50800-S	TGC-50802-S	8"	2"	900 lbs	3-3/8 x 2-13/16



## HAND TRUCKS

- Pneumatic Wheels
- 600 lbs. Capacity
- Tubular Steel Frame
- Powder Coat Finish
- Steel Hubs
- Steel Ball Bearings

Item Number	Handle	Height	Weight
TGHT-001	Dual	46"	20 lbs.
TGHT-003	Loop "P"	52"	23 lbs.
TGHT-011	10" Pneumatic Wheel (Replacement)		



## CONVERTIBLE HAND TRUCK

- 600 lbs. Capacity
- Converts From 2-Wheel Hand Truck to 4-Wheel Flat Bed Trolley
- Steel Frame
- Solid Rubber Wheels

Item Number	Capacity	Height	Weight
TGHT-005	600 lbs.	51"	33 lbs.
TGHT-012	10" Hard Rubber Wheel (Replacement)		



## PALLET TRUCK

- 5,500 lbs. Capacity
- Hand Lever for Selecting "Raise", "Neutral" and "Lower"
- Steel Hub Polyurethane Coated Wheels

Item Number	Capacity	Frame Width	Frame Length
TGPT-52748NS	5,500 lbs.	27"	48"
Replacement Parts Available, Contact Distributor for Details.			





## LINK CHAIN

• NACM 1990

Item Number	Type	Diameter	Finish	Length	Working Load Limit (lbs)	Proof Test (lbs)	Breaking Force Min
LC1/4-EG-GR70	Grade 70	1/4"	Yellow	400'	3,150	6,100	12,100
LC1/4-EG-GR70-800	Grade 70	1/4"	Yellow	800'	3,150	6,100	12,100
LC5/16-EG-GR70	Grade 70	5/16"	Yellow	250'	4,700	9,400	18,800
LC5/16-EG-GR70-500	Grade 70	5/16"	Yellow	500'	4,700	9,400	18,800
LC3/8-EG-GR70	Grade 70	3/8"	Yellow	200'	6,600	12,400	24,700
LC3/8-EG-GR70-400	Grade 70	3/8"	Yellow	400'	6,600	12,400	24,700
LC1/2-EG-GR70	Grade 70	1/2"	Yellow	100'	11,300	20,900	41,800
LC1/2-EG-GR70-200	Grade 70	1/2"	Yellow	200'	11,300	20,900	41,800
LC3/16-GALV-GR30CDN	Grade 30	3/16"	Galvanized	1,000'	800	1,600	3,200
LC1/4-GALV-GR30CDN	Grade 30	1/4"	Galvanized	525'	1,300	2,600	5,200
LC5/16-GALV-GR30CDN	Grade 30	5/16"	Galvanized	300'	1,900	3,400	6,800
LC3/8-GALV-GR30CDN	Grade 30	3/8"	Galvanized	200'	2,650	5,300	10,600
LC3/16-SC-GR30CDN	Grade 30	3/16"	Self Colour	1,000'	800	1,600	3,200
LC1/4-SC-GR30CDN	Grade 30	1/4"	Self Colour	525'	1,300	2,600	5,200
LC5/16-SC-GR30CDN	Grade 30	5/16"	Self Colour	300'	1,900	3,400	6,800
LC3/8-SC-GR30CDN	Grade 30	3/8"	Self Colour	200'	2,650	5,300	10,600
LC1/8-ZINC-GR30CDN	Grade 30	1/8"	Zinc Coated	1300'	375	800	1,600
LC3/16-SC-GR30CDN	Grade 30	3/16"	Zinc Coated	800'	800	1,600	3,200
LC1/4-SC-GR30CDN	Grade 30	1/4"	Zinc Coated	450'	1,300	2,600	5,200
LC5/16-SC-GR30CDN	Grade 30	5/16"	Zinc Coated	275'	1,900	3,400	6,800
LC3/8-SC-GR30CDN	Grade 30	3/8"	Zinc Coated	200'	2,650	5,300	10,600

## GRAB HOOK

Item Number	Size	Material	WLL (lbs)
CGH-1/4	1/4"	Grade 70	3,150
CGH-5/16	5/16"	Grade 70	4,700
CGH-3/8	3/8"	Grade 70	6,660
CGH-1/2	1/2"	Grade 70	11,300

## CLEVIS SLIP HOOK

Item Number	Size	Material	WLL (lbs)
CSH-1/4	1/4"	Grade 70	2,750
CSH-5/16	5/16"	Grade 70	4,300
CSH-3/8	3/8"	Grade 70	5,250
CSH-1/2	1/2"	Grade 70	9,000



## CARBIDE BURRS

- Double Cut
- 1/4" Shank Diameter



Item Number	Shape	Head Diameter	Flute Length
SA-1-IDI	Cylindrical	1/4"	5/8"
SA-2-IDI	Cylindrical	5/16"	3/4"
SA-3-IDI	Cylindrical	3/8"	3/4"
SA-4-IDI	Cylindrical	7/16"	1"
SA-5-IDI	Cylindrical	1/2"	1"
SA-6-IDI	Cylindrical	5/8"	1"
SA-7-IDI	Cylindrical	3/4"	1"
SA-9-IDI	Cylindrical	1"	1"
SA-14-IDI	Cylindrical	3/16"	5/8"
SB-1-IDI	Cylindrical - End Cut	1/4"	5/8"
SB-3-IDI	Cylindrical - End Cut	3/8"	3/4"
SB-5-IDI	Cylindrical - End Cut	1/2"	1"
SB-11-IDI	Cylindrical - End Cut	1/8"	1"
SC-1-IDI	Cylindrical - Radius Cut	1/4"	5/8"
SC-2-IDI	Cylindrical - Radius Cut	5/16"	3/4"
SC-3-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-4-IDI	Cylindrical - Radius Cut	7/16"	1"
SC-5-IDI	Cylindrical - Radius Cut	1/2"	1"
SC-6-IDI	Cylindrical - Radius Cut	5/8"	1"
SD-1-IDI-BUR	Ball	1/4"	3/16"
SD-2-IDI	Ball	5/16"	1/4"
SD-3-IDI	Ball	3/8"	5/16"
SD-5-IDI	Ball	1/2"	7/16"
SD-6-IDI	Ball	5/8"	9/16"
SD-7-IDI	Ball	3/4"	11/16"
SD-14-IDI	Ball	3/16"	1/8"
SE-1-IDI	Oval	1/4"	3/8"
SE-3-IDI	Oval	3/8"	5/8"
SE-5-IDI	Oval	1/2"	7/8"
SE-6-IDI	Oval	5/8"	1"

Item Number	Shape	Head Diameter	Flute Length
SE-7-IDI	Oval	3/4"	1"
SF-1-IDI-BUR	Tree - Radius End	1/4"	5/8"
SF-3-IDI	Tree - Radius End	3/8"	3/4"
SF-5-IDI	Tree - Radius End	1/2"	1"
SF-6-IDI	Tree - Radius End	5/8"	1"
SF-7-IDI	Tree - Radius End	3/4"	1"
SF-13-IDI	Tree - Radius End	1/2"	3/4"
SF-14-IDI	Tree - Radius End	3/4"	1-1/4"
SG-1-IDI	Tree - Pointed End	1/4"	5/8"
SG-2-IDI	Tree - Pointed End	5/16"	3/4"
SG-3-IDI	Tree - Pointed End	3/8"	3/4"
SG-5-IDI	Tree - Pointed End	1/2"	1"
SG-6-IDI	Tree - Pointed End	5/8"	1"
SG-13-IDI	Tree - Pointed End	1/2"	3/4"
SH-1-IDI-BUR	Flame	1/4"	5/8"
SH-2-IDI	Flame	5/16"	3/4"
SH-5-IDI	Flame	1/2"	1-1/4"
SH-6-IDI	Flame	5/8"	1-7/16"
SL-1-IDI	Taper - Radius Cut	1/4"	5/8"
SL-2-IDI	Taper - Radius Cut	5/16"	7/8"
SL-3-IDI	Taper - Radius Cut	3/8"	1-1/16"
SL-4-IDI	Taper - Radius Cut	1/2"	1-1/8"
SL-5-IDI	Taper - Radius Cut	5/8"	1-3/16"
SM-1-IDI	Cone - Pointed End	1/4"	1/2"
SM-2-IDI	Cone - Pointed End	1/4"	3/4"
SM-3-IDI	Cone - Pointed End	1/4"	1"
SM-4-IDI	Cone - Pointed End	3/8"	5/8"
SM-5-IDI	Cone - Pointed End	1/2"	7/8"
SM-6-IDI	Cone - Pointed End	5/8"	1"



## MINIATURE CARBIDE BURRS

- 1/8" Shank Diameter
- 1-1/2" Overall Length

Item Number	Shape	Cut Diameter	Flute Length
SA-41-IDI	Cylindrical	1/16"	1/4"
SA-42-IDI	Cylindrical	3/32"	7/16"
SA-43-IDI	Cylindrical	1/8"	9/16"
SB-43-IDI	Cylindrical - End Cut	1/8"	9/16"
SC-41-IDI	Cylindrical - Radius Cut	3/32"	7/16"
SC-42-IDI	Cylindrical - Radius Cut	1/8"	9/16"
SD-41-IDI	Ball	3/32"	3/32"
SD-42-IDI	Ball	1/8"	1/8"
SE-41-IDI	Oval	1/8"	7/32"
SF-41-IDI	Tree - Radius End	1/8"	1/4"
SF-42-IDI	Tree - Radius End	1/8"	1/2"
SH-41-IDI	Flame	1/8"	1/4"
SL-41-IDI	Taper - Radius Cut	1/8"	3/8"
SL-42-IDI	Taper - Radius Cut	1/8"	1/2"
SM-41-IDI	Cone - Pointed End	1/8"	11/32"
SM-42-IDI	Cone - Pointed End	1/8"	7/16"

- 1/8" Shank Diameter
- 1/4" Cutting Diameter

Item Number	Shape	Cut Diameter	Flute Length
SC-51-IDI	Cylindrical - Radius Cut	1/4"	1/2"
SD-51-IDI	Ball	1/4"	1/4"
SE-51-IDI	Oval	1/4"	3/8"
SG-51-IDI	Tree - Pointed End	1/4"	1/2"

- 1/8" Shank Diameter
- 3/16" Cutting Diameter

Item Number	Shape	Cut Diameter	Flute Length
SA-53-IDI	Cylindrical	3/16"	1/2"
SL-53-IDI	Taper - Radius Cut	3/16"	1/2"

## CARBIDE BURRS, SPECIALTY

- 6" Long Shank
- Double Cut, 1/4" Shank Diameter

Item Number	Shape	Head Diameter	Flute Length
SA-1L6-IDI	Cylindrical	1/4"	1/2"
SA-3L6-IDI	Cylindrical	3/8"	3/4"
SC-1L6-IDI	Cylindrical - Radius Cut	1/4"	1/2"
SC-2L6-IDI	Cylindrical - Radius Cut	5/16"	3/4"
SC-3L6-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-5L6-IDI	Cylindrical - Radius Cut	1/2"	1"
SD-1L6-IDI	Ball	1/4"	3/16"
SD-3L6-IDI	Ball	3/8"	5/16"
SE-3L6-IDI	Oval	3/8"	3/4"
SF-3L6-IDI	Tree - Radius End	3/8"	3/4"
SF-5L6-IDI	Tree - Radius End	1/2"	1"
SG-3L6-IDI	Tree - Pointed End	3/8"	3/4"
SG-5L6-IDI	Tree - Pointed End	1/2"	1"
SH-2L6-IDI	Flame	5/16"	3/4"
SL-1L6-IDI	Taper - Radius Cut	1/4"	5/8"
SL-3L6-IDI	Taper - Radius Cut	3/8"	1-1/16"

- Non Ferrous
- Double Cut, 1/4" Shank Diameter

Item Number	Shape	Head Diameter	Flute Length
SA-3NF-IDI	Cylindrical	3/8"	3/4"
SA-5NF-IDI	Cylindrical	1/2"	1"
SC-3NF-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-5NF-IDI	Cylindrical - Radius Cut	1/2"	1"
SD-3NF-IDI	Ball	3/8"	-
SD-5NF-IDI	Ball	1/2"	-
SF-3NF-IDI	Tree - Radius End	3/8"	3/4"
SF-5NF-IDI	Tree - Radius End	1/2"	1"
SF-6NF-IDI	Tree - Radius End	5/8"	1"
SL-3NF-IDI	Taper - Radius Cut	3/8"	1-1/16"
SL-5NF-IDI	Taper - Radius Cut	5/8"	1-3/16"





## 8 PIECE CARBIDE BURR SET

- Double Cut
- Wooden Box

Item Number	Burrs in Set
TGBS-6	SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4



## STEP DRILLS

- Material: M2
- TIN Coated
- Triple Flat Shank

Item Number	Size	Range	Steps	Increments
TGDB-10231	#1	1/8" - 1/2"	13	1/32"
TGDB-10232	#2	3/16" - 1/2"	6	1/16"
TGDB-10233	#3	1/4" - 3/4"	9	1/16"
TGDB-10234	#4	3/16" - 7/8"	12	1/16"
TGDB-10235	#5	1/4" - 1-3/8"	10	1/8"



## DRILL BIT SETS

- 29 Piece Set
- Jobber Drills
- Metal Case
- 135° Split Point
- M2 High Speed Steel DIN338
- Size Range: 1/16" to 1/2"

Item Number	Description
TGDB-04-29-S	29 Piece Jobber Drill Bit Set <b>Two Tone (Black/Gold) Finish</b> Size Range: 1/16" to 1/2" (by 1/16" sizes)
TGDB-02-29-S	29 Piece Jobber Drill Bit Set <b>Black Oxide Finish</b> Size Range: 1/16" to 1/2" (by 1/16" sizes)





## PRENTICE DRILL BITS

- 8 Piece Set, Prentice Drills
- Black Oxide Finish
- Metal Case
- 135° Split Point
- M2 High Speed Steel DIN338
- 1/2" Shank
- Triple Flat Shank

Item Number	Description
TGDB-09-08-S	8 Piece Prentice Drill Bit Set Includes: Sizes Included: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

- Black Oxide Finish
- Prentice Drills
- 135° Split Point
- M2 High Speed Steel DIN338
- 1/2" Shank
- Triple Flat Shank

Item Number	Diameter	Flute Length	Overall Length
TGDB-09-0563	9/16"	3-1/8"	5-7/8"
TGDB-09-0625	5/8"	3-1/8"	5-7/8"
TGDB-09-0688	11/16"	3-1/8"	5-7/8"
TGDB-09-0750	3/4"	3-1/8"	5-7/8"
TGDB-09-0813	13/16"	3-1/8"	5-7/8"
TGDB-09-0875	7/8"	3-1/8"	5-7/8"
TGDB-09-0938	15/16"	3-1/8"	5-7/8"
TGDB-09-1000	1"	3-1/8"	5-7/8"



## DRILL BIT CABINET

- 29 Cabinets
- Labelled with Fractional Sizes
- Plexiglass Doors (front & rear)
- Lockable

Item Number	Description
TGDB-BOX	Drill Bit Cabinet for 29 Fractional Sizes





## DRILL BITS

- Jobber Drills, Fractional Sizes
- 135° Split Point
- M2 High Speed Steel DIN338

Two Tone Finish, Triple Flat Shank			
Item Number	Size	Flute Length	Overall Length
TGDB-04-0015	1/64"	3/16"	13/16"
TGDB-04-0031	1/32"	3/8"	1-3/16"
TGDB-04-0046	3/64"	5/8"	1-1/2"
TGDB-04-0063	1/16"	13/16"	1-11/16"
TGDB-04-0078	5/64"	15/16"	1-15/16"
TGDB-04-0094	3/32"	1-3/16"	2-1/4"
TGDB-04-0109	7/64"	1-5/16"	2-3/8"
TGDB-04-0125	1/8"	1-7/16"	2-9/16"
TGDB-04-0140	9/64"	1-9/16"	2-3/4"
TGDB-04-0156	5/32"	1-11/16"	2-15/16"
TGDB-04-0171	11/64"	1-7/8"	3-1/8"
TGDB-04-0187	3/16"	2-1/16"	3-3/8"
TGDB-04-0203	13/64"	2-1/16"	3-3/8"
TGDB-04-0218	7/32"	2-1/4"	3-11/16"
TGDB-04-0234	15/64"	2-1/4"	3-11/16"
TGDB-04-0250	1/4"	2-1/2"	4"
TGDB-04-0267	17/64"	2-11/16"	4-5/16"
TGDB-04-0281	9/32"	2-11/16"	4-5/16"
TGDB-04-0297	19/64"	2-15/16"	4-5/8"
TGDB-04-0313	5/16"	2-15/16"	4-5/8"
TGDB-04-0328	21/64"	2-15/16"	4-5/8"
TGDB-04-0344	11/32"	3-3/16"	4-15/16"
TGDB-04-0359	23/64"	3-3/16"	4-15/16"
TGDB-04-0375	3/8"	3-7/16"	5-1/4"
TGDB-04-0390	25/64"	3-7/16"	5-1/4"
TGDB-04-0406	13/32"	3-7/16"	5-1/4"
TGDB-04-0422	27/64"	3-11/16"	5-9/16"
TGDB-04-0438	7/16"	3-11/16"	5-9/16"
TGDB-04-0453	29/64"	3-11/16"	5-9/16"
TGDB-04-0469	15/32"	4"	5-15/16"
TGDB-04-0484	31/64"	4"	5-15/16"
TGDB-04-0500	1/2"	4"	5-15/16"

Black Oxide Finish, Round Shank			
Item Number	Size	Flute Length	Overall Length
TGDB-02-0015	1/64"	3/16"	13/16"
TGDB-02-0031	1/32"	3/8"	1-3/16"
TGDB-02-0046	3/64"	5/8"	1-1/2"
TGDB-02-0063	1/16"	13/16"	1-11/16"
TGDB-02-0078	5/64"	15/16"	1-15/16"
TGDB-02-0094	3/32"	1-3/16"	2-1/4"
TGDB-02-0109	7/64"	1-5/16"	2-3/8"
TGDB-02-0125	1/8"	1-7/16"	2-9/16"
TGDB-02-0140	9/64"	1-9/16"	2-3/4"
TGDB-02-0156	5/32"	1-11/16"	2-15/16"
TGDB-02-0171	11/64"	1-7/8"	3-1/8"
TGDB-02-0187	3/16"	2-1/16"	3-3/8"
TGDB-02-0203	13/64"	2-1/16"	3-3/8"
TGDB-02-0218	7/32"	2-1/4"	3-11/16"
TGDB-02-0234	15/64"	2-1/4"	3-11/16"
TGDB-02-0250	1/4"	2-1/2"	4"
TGDB-02-0267	17/64"	2-11/16"	4-5/16"
TGDB-02-0281	9/32"	2-11/16"	4-5/16"
TGDB-02-0297	19/64"	2-15/16"	4-5/8"
TGDB-02-0313	5/16"	2-15/16"	4-5/8"
TGDB-02-0328	21/64"	2-15/16"	4-5/8"
TGDB-02-0344	11/32"	3-3/16"	4-15/16"
TGDB-02-0359	23/64"	3-3/16"	4-15/16"
TGDB-02-0375	3/8"	3-7/16"	5-1/4"
TGDB-02-0390	25/64"	3-7/16"	5-1/4"
TGDB-02-0406	13/32"	3-7/16"	5-1/4"
TGDB-02-0422	27/64"	3-11/16"	5-9/16"
TGDB-02-0438	7/16"	3-11/16"	5-9/16"
TGDB-02-0453	29/64"	3-11/16"	5-9/16"
TGDB-02-0469	15/32"	4"	5-15/16"
TGDB-02-0484	31/64"	4"	5-15/16"
TGDB-02-0500	1/2"	4"	5-15/16"



## DRILL BITS

- Jobber Drills, Number Sizes
- Two Tone Finish (Black/Gold)
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-06-001	1	2-5/8"	3-7/8"
TGDB-06-002	2	2-5/8"	3-7/8"
TGDB-06-003	3	2-1/2"	3-3/4"
TGDB-06-004	4	2-1/2"	3-3/4"
TGDB-06-005	5	2-1/2"	3-3/4"
TGDB-06-006	6	2-1/2"	3-3/4"
TGDB-06-007	7	2-7/16"	3-5/8"
TGDB-06-008	8	2-7/16"	3-5/8"
TGDB-06-009	9	2-7/16"	3-5/8"
TGDB-06-010	10	2-7/16"	3-5/8"
TGDB-06-011	11	2-5/16"	3-1/2"
TGDB-06-012	12	2-5/16"	3-1/2"
TGDB-06-013	13	2-5/16"	3-1/2"
TGDB-06-014	14	2-3/16"	3-3/8"
TGDB-06-015	15	2-3/16"	3-3/8"
TGDB-06-016	16	2-3/16"	3-3/8"
TGDB-06-017	17	2-3/16"	3-3/8"
TGDB-06-018	18	2-1/8"	3-1/4"
TGDB-06-019	19	2-1/8"	3-1/4"
TGDB-06-020	20	2-1/8"	3-1/4"
TGDB-06-021	21	2-1/8"	3-1/4"
TGDB-06-022	22	2"	3-1/8"
TGDB-06-023	23	2"	3-1/8"
TGDB-06-024	24	2"	3-1/8"
TGDB-06-025	25	1-7/8"	3"
TGDB-06-026	26	1-7/8"	3"
TGDB-06-027	27	1-7/8"	3"
TGDB-06-028	28	1-3/4"	2-7/8"
TGDB-06-029	29	1-3/4"	2-7/8"
TGDB-06-030	30	1-5/8"	2-3/4"

Item Number	Size	Flute Length	Overall Length
TGDB-06-031	31	1-5/8"	2-3/4"
TGDB-06-032	32	1-5/8"	2-3/4"
TGDB-06-033	33	1-1/2"	2-5/8"
TGDB-06-034	34	1-1/2"	2-5/8"
TGDB-06-035	35	1-1/2"	2-5/8"
TGDB-06-036	36	1-7/16"	2-1/2"
TGDB-06-037	37	1-7/16"	2-1/2"
TGDB-06-038	38	1-7/16"	2-1/2"
TGDB-06-039	39	1-3/8"	2-3/8"
TGDB-06-040	40	1-3/8"	2-3/8"
TGDB-06-041	41	1-3/8"	2-3/8"
TGDB-06-042	42	1-1/4"	2-1/4"
TGDB-06-043	43	1-1/4"	2-1/4"
TGDB-06-044	44	1-1/8"	2-1/8"
TGDB-06-045	45	1-1/8"	2-1/8"
TGDB-06-046	46	1-1/8"	2-1/8"
TGDB-06-047	47	1"	2"
TGDB-06-048	48	1"	2"
TGDB-06-049	49	1"	2"
TGDB-06-050	50	1"	2"
TGDB-06-051	51	1"	2"
TGDB-06-052	52	7/8"	1-7/8"
TGDB-06-053	53	7/8"	1-7/8"
TGDB-06-054	54	7/8"	1-7/8"
TGDB-06-055	55	7/8"	1-7/8"
TGDB-06-056	56	3/4"	1-3/4"
TGDB-06-057	57	3/4"	1-3/4"
TGDB-06-058	58	11/16"	1-5/8"
TGDB-06-059	59	11/16"	1-5/8"
TGDB-06-060	60	11/16"	1-5/8"



## DRILL BITS

- Jobber Drills, Letter Sizes
- Two Tone Finish (Black/Gold)
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-05-A	A	2-5/8"	3-7/8"
TGDB-05-B	B	2-3/4"	4"
TGDB-05-C	C	2-3/4"	4"
TGDB-05-D	D	2-3/4"	4"
TGDB-05-E	E	2-3/4"	4"
TGDB-05-F	F	2-7/8"	4-1/8"
TGDB-05-G	G	2-7/8"	4-1/8"
TGDB-05-H	H	2-7/8"	4-1/8"
TGDB-05-I	I	2-7/8"	4-1/8"
TGDB-05-J	J	2-7/8"	4-1/8"
TGDB-05-K	K	2-15/16"	4-1/4"
TGDB-05-L	L	2-15/16"	4-1/4"
TGDB-05-M	M	3-1/16"	4-3/8"
TGDB-05-N	N	3-1/16"	4-3/8"
TGDB-05-O	O	3-3/16"	4-1/2"
TGDB-05-P	P	3-5/16"	4-5/8"
TGDB-05-Q	Q	3-7/16"	4-3/4"
TGDB-05-R	R	3-7/16"	4-3/4"
TGDB-05-S	S	3-1/2"	4-7/8"
TGDB-05-T	T	3-1/2"	4-7/8"
TGDB-05-U	U	3-5/8"	5"
TGDB-05-V	V	3-5/8"	5"
TGDB-05-W	W	3-3/4"	5-1/8"
TGDB-05-X	X	3-3/4"	5-1/8"
TGDB-05-Y	Y	3-7/8"	5-1/4"
TGDB-05-Z	Z	3-7/8"	5-1/4"

- Stubb Drill Bits, Fractional Sizes
- Black Oxide Finish
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-01-0015	1/64"	3/16"	5/8"
TGDB-01-0031	1/32"	1/4"	7/8"
TGDB-01-0046	3/64"	5/16"	1-3/16"
TGDB-01-0063	1/16"	3/8"	1-5/16"
TGDB-01-0078	5/64"	1/2"	1-1/2"
TGDB-01-0094	3/32"	9/16"	1-11/16"
TGDB-01-0109	7/64"	5/8"	1-13/16"
TGDB-01-0125	1/8"	11/16"	1-15/16"
TGDB-01-0140	9/64"	13/16"	2-1/16"
TGDB-01-0156	5/32"	7/8"	2-3/16"
TGDB-01-0171	11/64"	15/16"	2-5/16"
TGDB-01-0187	3/16"	1"	2-7/16"
TGDB-01-0203	13/64"	1"	2-7/16"
TGDB-01-0218	7/32"	1-1/8"	2-5/8"
TGDB-01-0234	15/64"	1-1/8"	2-5/8"
TGDB-01-0250	1/4"	1-1/4"	2-3/4"
TGDB-01-0267	17/64"	1-5/16"	2-15/16"
TGDB-01-0281	9/32"	1-5/16"	2-15/16"
TGDB-01-0297	19/64"	1-7/16"	3-1/8"
TGDB-01-0313	5/16"	1-7/16"	3-1/8"
TGDB-01-0328	21/64"	1-7/16"	3-1/8"
TGDB-01-0344	11/32"	1-9/16"	3-5/16"
TGDB-01-0359	23/64"	1-9/16"	3-5/16"
TGDB-01-0375	3/8"	1-11/16"	3-1/2"
TGDB-01-0390	25/64"	1-11/16"	3-1/2"
TGDB-01-0406	13/32"	1-11/16"	3-1/2"
TGDB-01-0422	27/64"	1-7/8"	3-3/4"
TGDB-01-0438	7/16"	1-7/8"	3-3/4"
TGDB-01-0453	29/64"	1-7/8"	3-3/4"
TGDB-01-0469	15/32"	2"	4"
TGDB-01-0484	31/64"	2"	4"
TGDB-01-0500	1/2"	2"	4"

<b>Air Hose</b>	Self-Storing . . . . .	28	<b>Flagging Tape</b>	. . . . .	7
<b>Aviation Snips</b>	. . . . .	28	<b>Flashlights</b>	LED	
<b>Barricade Tape</b>	. . . . .	7		Aluminum . . . . .	42
<b>Brass Ball Valves</b>	Threaded . . . . .	30		Plastic . . . . .	42
	Locking Handle . . . . .	30	<b>Gloves</b>	Coated	
	Potable . . . . .	30		Kevlar . . . . .	11
<b>Bulb</b>	Halogen . . . . .	30		Nylon . . . . .	10
<b>Cable Ties</b>	. . . . .	38-39		Poly-Cotton . . . . .	11
<b>Calipers</b>	Digital			Polyester . . . . .	10
	IP54 . . . . .	25		Cotton . . . . .	15
	Plastic . . . . .	25		Disposable	
	Stainless . . . . .	25		Nitrile . . . . .	9
<b>Carbide Burrs</b>	Double Cut . . . . .	47		Leather	
	Long Shank . . . . .	48		Drivers . . . . .	13
	Miniature . . . . .	48		Fitters . . . . .	12-14
	Non Ferrous . . . . .	48		Work . . . . .	11
	Set . . . . .	49		Welders . . . . .	15
<b>Casters</b>	Blue Elastic Rubber . . . . .	44	<b>Grease Gun</b>	String Knit . . . . .	15
	Orange Polyurethane . . . . .	44		Lever Handle . . . . .	35
	Phenolic . . . . .	44	<b>Ice Scraper</b>	. . . . .	33
<b>Chemicals</b>	Aerosol		<b>Hand Cleaner</b>	Orange Pumice . . . . .	43
	Food Grade Sil. . . . .	43		Pink Lotion . . . . .	43
	Cold Galvanized Coat . . . . .	43	<b>Hand Trucks</b>	Convertible . . . . .	45
<b>Coveralls</b>	Disposable			Dual Handle . . . . .	45
	50 GSM . . . . .	7		Loop "P" Handle . . . . .	45
	60 GSM . . . . .	7	<b>Hex Keys</b>	Ball-End . . . . .	22
<b>Delineator Posts</b>	. . . . .	6		Standard . . . . .	22
<b>Dial Indicators</b>	. . . . .	26	<b>Hole Saw</b>	Kit . . . . .	27
<b>Drill Bits</b>	Cabinet . . . . .	50	<b>Hooks</b>	Grab . . . . .	46
	Jobber			Slip . . . . .	46
	Fractional . . . . .	51	<b>Hose Clamps</b>	201 Stainless . . . . .	29
	Letter . . . . .	53		301 Stainless . . . . .	29
	Number . . . . .	52	<b>Levels</b>	Heavy Duty . . . . .	20
	Prentice . . . . .	50		Laser . . . . .	20
	Sets			Standard . . . . .	20
	Black Oxide . . . . .	49		Torpedo . . . . .	20
	Prentice . . . . .	50	<b>Link Chain</b>	Grade 30 . . . . .	46
	Two Tone . . . . .	49		Grade 70 . . . . .	46
	Stubb		<b>Magnetic Pickup</b>	. . . . .	26
	Fractional . . . . .	53	<b>Magnetic Stand</b>	. . . . .	26
			<b>Micrometers</b>	Outside . . . . .	25

<b>Paint Brushes</b>	Chip . . . . .	36	<b>Socket Sets</b>	Standard	
	Foam . . . . .	36		1/2 Drive . . . . .	16
	Maple Handle . . . . .	37		3/4 Drive . . . . .	16
	Plastic Handle . . . . .	36		3/8 Drive . . . . .	16
<b>Paint Rollers</b>	Refill . . . . .	36	<b>Step Drills</b>	. . . . .	49
<b>Pallet Truck</b>	. . . . .	45	<b>Tape</b>	PTFE . . . . .	43
<b>Pliers</b>	Bent Nose . . . . .	21	<b>Tape Measures</b>	Magnetic . . . . .	17
	Diagonal Cutters . . . . .	21		Non Magnetic . . . . .	17
	Linesman's . . . . .	21	<b>Tarps</b>	Heavy Duty . . . . .	34
	Locking Jaw, Curved . . . . .	21		Regular Duty	
	Long Nose . . . . .	21		Blue . . . . .	34
	Slip Joint . . . . .	21		White . . . . .	34
	Tongue & Groove . . . . .	21	<b>Tin Snips</b>	. . . . .	27
<b>Pneumatic Tools</b>	Die Grinder		<b>Traffic Cones</b>	18" . . . . .	6
	45 Angle . . . . .	28		28" . . . . .	6
	Mini . . . . .	28	<b>Utility Knife</b>	Blades . . . . .	24
	Standard . . . . .	28		Heavy-Duty . . . . .	24
	. . . . .	27		Standard . . . . .	24
<b>Pry Bar</b>	. . . . .	27	<b>Utility Bar</b>	. . . . .	27
<b>Rainwear</b>	Fire-Retardent . . . . .	8	<b>Vests</b>	Harness . . . . .	5
	Standard . . . . .	8		Safety . . . . .	5
<b>Rakes</b>	Bow . . . . .	33	<b>Vises</b>	Mechanics	
	Springback (Lawn) . . . . .	33		Tuff Grade . . . . .	35
<b>Ratchet Straps</b>				Parts . . . . .	35
	Double-J Hook . . . . .	41	<b>Web Slings</b>	. . . . .	39-40
	Flat Hook . . . . .	41	<b>Winch Straps</b>	. . . . .	41
<b>Rope</b>	Polyester		<b>Winter Clothing</b>	Balaclava . . . . .	8
	3 Strand . . . . .	37		Headband . . . . .	8
<b>Safety Glasses</b>	. . . . .	4	<b>Work Lights</b>	Halogen	
<b>Screwdrivers</b>	Phillips . . . . .	22		Portable . . . . .	42
	Robertson . . . . .	22		Tri-Pod . . . . .	42
	Slot . . . . .	22	<b>Wrecking Bar</b>	. . . . .	27
<b>Shovels</b>	All-Purpose . . . . .	31	<b>Wrenches</b>	Adjustable	
	Grain Scoop . . . . .	31		Cushion Grip . . . . .	23
	Round Point . . . . .	31		Metal . . . . .	23
	Square Point . . . . .	31		Combination	
	Winter . . . . .	32		Metric . . . . .	19
<b>Stretch Wrap</b>	. . . . .	43		SAE . . . . .	18
<b>Socket Sets</b>	Deep Impact			Pipe	
	1/2 Drive . . . . .	17		Aluminum . . . . .	23
	3/4 Drive . . . . .	17		Cast Iron . . . . .	23

A blue-tinted photograph of a construction worker wearing a safety vest and holding a hard hat. A central logo is overlaid on the image. The logo consists of a dark blue rectangle with red diagonal stripes at the top and bottom. Inside the rectangle, the word "TUFF" is written in red, bold, sans-serif font, and "GRADE" is written in white, bold, sans-serif font below it. A small "TM" trademark symbol is located to the right of "TUFF".

**TUFF**<sup>TM</sup>  
**GRADE**

For more information on Tuff Grade products or  
to find a local distributor near you contact  
IDI Independent Distributors Inc.  
[info@idiind.com](mailto:info@idiind.com) | [www.idiind.com](http://www.idiind.com) | 905-858-0988